

DICHIARAZIONE DI PRESTAZIONE DOP N° 14688

1. Codice di identificazione unico del prodotto- tipo:

VEDERE ALLEGATO

2. Tipo di prodotto, collezione, numero di serie o qualsiasi altro elemento che consenta l'identificazione del prodotto da costruzione ai sensi dell'articolo 11, (4):

LAVABI

3. Impiego previsto del prodotto da costruzione, secondo le specifiche tecniche di armonizzazione e come previsto dal fabbricante:

IGIENE PERSONALE (PH)

4. Nome, denominazione commerciale registrata o marchio registrato, indirizzo del fabbricante come richiesto dall'articolo 11, (5):

SIMAS S.p.A. - VIA FALERINA KM.3 - 01033 - Civita Castellana (VT) - Italy

Tel. +39.0761.518161 - Fax +39.0761.517897 - www.simas.it - simas@simas.it

5. Se opportuno, nome e indirizzo di contatto del rappresentante autorizzato il cui mandato copre i compiti richiesti dall' articolo 12, (2):

NON APPLICABILE

6. Sistema o sistemi di valutazione e verifica della costanza di performance (AVCP) del prodotto da costruzione come enunciato nel Regolamento (EU) Nr. 305/2011 (CPR), allegato V:

SISTEMA 4.

7. In caso di dichiarazione di prestazione relativa ad un prodotto da costruzione coperto da una norma armonizzata: **Definizione del tipo di prodotto e controllo dello stabilimento di produzione da parte del produttore.**

8. NON APPLICABILE

9. Prestazione dichiarata

| CARATTERISTICHE ESSENZIALI | PRESTAZIONE | SPECIFICA TECNICA ARMONIZZATA |
|-------------------------------|-------------|-------------------------------|
| Pulibilità (CA) | PASSA | EN 14688 |
| Resistenza al carico (LR) | PASSA | |
| Durabilità (DA) | PASSA | |
| Capacità del troppopieno (OF) | PASSA | |

La prestazione dichiarata del prodotto è riportata nei codici di designazione e nelle caratteristiche essenziali in allegato.

10. La prestazione del prodotto di cui ai punti 1 e 2 è conforme alla prestazione dichiarata di cui al punto 9. Si rilascia la presente dichiarazione di prestazione sotto la responsabilità esclusiva del fabbricante di cui al punto 4.

Firmato a nome e per conto di **SIMAS S.p.A.**

Civita Castellana 01/03/2019
(luogo e data del rilascio)

Marco Giuliani - Amministratore Delegato

(firma)



DICHIARAZIONE DI PRESTAZIONE DOP N° 14688

ALLEGATO

| CODICE | MODELLO | PRODOTTO | CODICE DESIGNAZIONE | CARATTERISTICHE |
|---------------|-------------|---------------------------|---------------------|-----------------|
| AG40 | AGILE | Lavamani sospeso 40 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG50 | AGILE | Lavamani sospeso 50 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG60 | AGILE | Lavabo appoggio 60 | EN 14688 - CL00 | CA-LR-DA |
| AG80 | AGILE | Lavabo appoggio 80 | EN 14688 - CL00 | CA-LR-DA |
| AG61 | AGILE | Lavabo sosp/app 61 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG81 | AGILE | Lavabo sosp/app 81 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG91 | AGILE | Lavabo sosp/app 91 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG101 | AGILE | Lavabo sosp/app 101 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG121 | AGILE | Lavabo sosp/app 121 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG121D | AGILE | Lavabo sosp/app 121 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG141D | AGILE | Lavabo sosp/app 141 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR035 | ARCADE | Lavamani sospeso 37 | EN 14688 - CL10 | CA-LR-DA-OF |
| AR036 | ARCADE | Lavamani sospeso 34 | EN 14688 - CL10 | CA-LR-DA-OF |
| AR884 | ARCADE | Lavabo sospeso 57 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR864 | ARCADE | Lavabo sospeso 90 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR874 | ARCADE | Lavabo sospeso 105 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR814 | ARCADE | Lavabo sospeso 59 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR824 | ARCADE | Lavabo sospeso con sp. 68 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR844 | ARCADE | Lavabo sospeso 68 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR834 | ARCADE | Lavabo sospeso con sp. 73 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR854 | ARCADE | Lavabo sospeso 73 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR835 | ARCADE | Lavabo seminc. 67 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR859 | ARCADE | Lavabo inc. 61 | EN 14688 - CL20 | CA-LR-DA-OF |
| BB10 | BADEN BADEN | Lavabo sosp/app 60 | EN 14688 - CL20 | CA-LR-DA-OF |
| BB11 | BADEN BADEN | Lavabo inc/app 60 | EN 14688 - CL00 | CA-LR-DA |
| BB12 | BADEN BADEN | Lavabo sosp/app 80 | EN 14688 - CL10 | CA-LR-DA-OF |
| BB13 | BADEN BADEN | Lavabo sospeso 40 H55 | EN 14688 - CL10 | CA-LR-DA-OF |
| BO12 | BOHÉMIEN | Lavabo appoggio 76 | EN 14688 - CL10 | CA-LR-DA |
| BR10 | BORMIO | Lavabo sosp/app 65 | EN 14688 - CL20 | CA-LR-DA-OF |
| BT104 | BETA | Lavabo sospeso 51 | EN 14688 - CL10 | CA-LR-DA-OF |
| BT114 | BETA | Lavabo sospeso 59 | EN 14688 - CL20 | CA-LR-DA-OF |
| BT124 | BETA | Lavabo sospeso 67 | EN 14688 - CL20 | CA-LR-DA-OF |
| DE10 | DEGRADÈ | Lavabo appoggio 57 | EN 14688 - CL00 | CA-LR-DA |
| DE13 | DEGRADÈ | Lavabo sospeso 60 | EN 14688 - CL20 | CA-LR-DA-OF |
| DE14 | DEGRADÈ | Lavabo sospeso 58 | EN 14688 - CL20 | CA-LR-DA-OF |
| EL05 | E-LINE | Lavabo sosp/app 65 | EN 14688 - CL20 | CA-LR-DA-OF |
| EL10 | E-LINE | Lavabo sosp/app 65 | EN 14688 - CL20 | CA-LR-DA-OF |
| EL11 | E-LINE | Lavabo sosp/app 90 | EN 14688 - CL20 | CA-LR-DA-OF |
| EVO10 | EVOLUTION | Lavabo appoggio 58 | EN 14688 - CL00 | CA-LR-DA |
| EVO11 | EVOLUTION | Lavabo sospeso 70 | EN 14688 - CL20 | CA-LR-DA-OF |
| EVO12 | EVOLUTION | Lavabo sospeso 90 | EN 14688 - CL20 | CA-LR-DA-OF |
| EVO13 | EVOLUTION | Lavamani sospeso 31 | EN 14688 - CL10 | CA-LR-DA-OF |
| EVO14 | EVOLUTION | Lavamani sospeso 34 | EN 14688 - CL10 | CA-LR-DA-OF |

Firmato a nome e per conto di **SIMAS S.p.A.**

Civita Castellana 01/03/2019
(luogo e data del rilascio)

Marco Giuliani - Amministratore Delegato

(firma)



DICHIARAZIONE DI PRESTAZIONE DOP N° 14688

ALLEGATO

| CODICE | MODELLO | PRODOTTO | CODICE DESIGNAZIONE | CARATTERISTICHE |
|--------------|---------------|----------------------|---------------------|-----------------|
| EVO15 | EVOLUTION | Lavabo sospeso 53 | EN 14688 - CL20 | CA-LR-DA-OF |
| FL01 | FLOW | Lavabo sospeso 69 | EN 14688 - CL00 | CA-LR-DA |
| FL02 | FLOW | Lavabo sospeso 88 | EN 14688 - CL00 | CA-LR-DA |
| FL03 | FLOW | Lavabo sospeso 115 | EN 14688 - CL00 | CA-LR-DA |
| FL04 | FLOW | Lavabo sospeso 63 | EN 14688 - CL00 | CA-LR-DA |
| FL05 | FLOW | Lavabo sospeso 87 | EN 14688 - CL00 | CA-LR-DA |
| FL10 | FLOW | Lavabo app. 40 | EN 14688 - CL00 | CA-LR-DA |
| FL11 | FLOW | Lavabo app. 39 | EN 14688 - CL00 | CA-LR-DA |
| FL12 | FLOW | Lavabo app. 50 | EN 14688 - CL00 | CA-LR-DA |
| FL13 | FLOW | Lavabo app. 51 | EN 14688 - CL00 | CA-LR-DA |
| FL14 | FLOW | Lavabo sospeso 40 | EN 14688 - CL00 | CA-LR-DA |
| FL15 | FLOW | Lavabo sospeso 39 | EN 14688 - CL00 | CA-LR-DA |
| FL16 | FLOW | Lavabo sospeso 49 | EN 14688 - CL00 | CA-LR-DA |
| FL17 | FLOW | Lavabo sospeso 52 | EN 14688 - CL00 | CA-LR-DA |
| FL20 | FLOW | Lavabo sospeso 82 | EN 14688 - CL00 | CA-LR-DA |
| FL21 | FLOW | Lavabo sospeso 57 | EN 14688 - CL00 | CA-LR-DA |
| FL22 | FLOW | Lavabo sospeso 113 | EN 14688 - CL00 | CA-LR-DA |
| FL23 | FLOW | Lavabo sospeso 88 | EN 14688 - CL00 | CA-LR-DA |
| FL24 | FLOW | Lavabo sospeso 49 | EN 14688 - CL00 | CA-LR-DA |
| FZ10 | FROZEN | Lavabo sosp/app 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| FZ11 | FROZEN | Lavabo sosp/app 90 | EN 14688 - CL00 | CA-LR-DA |
| FZ12 | FROZEN | Lavabo sosp/app 100 | EN 14688 - CL00 | CA-LR-DA |
| FZ13 | FROZEN | Lavabo sosp/app 50 | EN 14688 - CL10 | CA-LR-DA-OF |
| FZ14 | FROZEN | Lavabo sosp/app 43 | EN 14688 - CL10 | CA-LR-DA-OF |
| FZ15 | FROZEN | Lavabo seminc. 70 | EN 14688 - CL10 | CA-LR-DA-OF |
| U60 | FROZEN | Lavabo appoggio 60 | EN 14688 - CL00 | CA-LR-DA |
| U90 | FROZEN | Lavabo appoggio 90 | EN 14688 - CL00 | CA-LR-DA |
| U120 | FROZEN | Lavabo appoggio 120 | EN 14688 - CL00 | CA-LR-DA |
| LA10 | LANTE | Lavabo sospeso 70 | EN 14688 - CL10 | CA-LR-DA-OF |
| LA11 | LANTE | Lavabo sospeso 90 | EN 14688 - CL10 | CA-LR-DA-OF |
| LA12 | LANTE | Lavabo sospeso 120 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT05 | LFT SPAZIO | Lavabo sospeso 65 | EN 14688 - CL10 | CA-LR-DA |
| LFT24 | LFT SPAZIO | Lavabo sosp/app 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT34 | LFT SPAZIO | Lavabo sosp/app 73 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT44 | LFT SPAZIO | Lavabo sospeso 80 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT54 | LFT SPAZIO | Lavabo sospeso 61 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT64 | LFT SPAZIO | Lavabo app. 63 | EN 14688 - CL00 | CA-LR-DA |
| LFT74 | LFT SPAZIO | Lavabo sottopiano 66 | EN 14688 - CL10 | CA-LR-DA |
| LO914 | LONDRA | Lavabo sospeso 58 | EN 14688 - CL20 | CA-LR-DA-OF |
| LO924 | LONDRA | Lavabo sospeso 68 | EN 14688 - CL20 | CA-LR-DA-OF |
| LO934 | LONDRA | Lavabo sospeso 105 | EN 14688 - CL20 | CA-LR-DA-OF |
| LO944 | LONDRA | Lavamani sospeso 38 | EN 14688 - CL10 | CA-LR-DA-OF |
| OH10 | TOP LAV. ARR. | Lavabo sospeso 60 | EN 14688 - CL00 | CA-LR-DA |

Firmato a nome e per conto di **SIMAS S.p.A.**

Civita Castellana 01/03/2019
(luogo e data del rilascio)

Marco Giuliani - Amministratore Delegato

(firma)



DICHIARAZIONE DI PRESTAZIONE DOP N° 14688

ALLEGATO

| CODICE | MODELLO | PRODOTTO | CODICE DESIGNAZIONE | CARATTERISTICHE |
|--------------|---------------|-------------------------|---------------------|-----------------|
| OH12 | TOP LAV. ARR. | Lavabo sospeso 90 | EN 14688 - CL00 | CA-LR-DA |
| QU60D | TOP LAV. ARR. | Lavabo sospeso 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU60S | TOP LAV. ARR. | Lavabo sospeso 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU65D | TOP LAV. ARR. | Lavabo sospeso 65 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU65S | TOP LAV. ARR. | Lavabo sospeso 65 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU75D | TOP LAV. ARR. | Lavabo sospeso 75 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU75S | TOP LAV. ARR. | Lavabo sospeso 75 | EN 14688 - CL10 | CA-LR-DA-OF |
| S50P | TOP LAV. ARR. | Lavabo incasso 54 | EN 14688 - CL20 | CA-LR-DA-OF |
| S51 | TOP LAV. ARR. | Lavabo incasso 63 | EN 14688 - CL20 | CA-LR-DA-OF |
| S52 | TOP LAV. ARR. | Lavabo incasso 53 | EN 14688 - CL20 | CA-LR-DA-OF |
| S53 | TOP LAV. ARR. | Lavabo sottopiano 58 | EN 14688 - CL20 | CA-LR-DA-OF |
| S54 | TOP LAV. ARR. | Lavabo sottopiano 42 | EN 14688 - CL20 | CA-LR-DA-OF |
| S57 | TOP LAV. ARR. | Lavabo seminc. 67 | EN 14688 - CL20 | CA-LR-DA-OF |
| S58 | TOP LAV. ARR. | Lavabo seminc. 56 | EN 14688 - CL10 | CA-LR-DA-OF |
| S59 | TOP LAV. ARR. | Lavabo sottopiano 48 | EN 14688 - CL10 | CA-LR-DA-OF |
| S60 | TOP LAV. ARR. | Lavabo sottopiano 55 | EN 14688 - CL10 | CA-LR-DA-OF |
| TOP60 | TOP LAV. ARR. | Lavabo sospeso 105 | EN 14688 - CL20 | CA-LR-DA-OF |
| TOP62 | TOP LAV. ARR. | Lavabo sospeso 90 | EN 14688 - CL20 | CA-LR-DA-OF |
| TOP63 | TOP LAV. ARR. | Lavabo sospeso 78 | EN 14688 - CL20 | CA-LR-DA-OF |
| GTE | TOP LAV. ARR. | Lavabo free-standing 46 | EN 14688 - CL10 | CA-LR-DA-OF |
| Q500 | TOP LAV. ARR. | Lavello appoggio 75 | EN 14688 - CL00 | CA-LR-DA |
| VI10 | VIGNONI | Lavabo sosp/app 80 | EN 14688 - CL10 | CA-LR-DA-OF |
| VI11 | VIGNONI | Lavabo sosp/app 80 | EN 14688 - CL10 | CA-LR-DA-OF |
| VI12 | VIGNONI | Lavabo sosp/app 100 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH01 | SHARP | Lavabo app. 50 | EN 14688 - CL00 | CA-LR-DA |
| SH02 | SHARP | Lavabo app. 42 | EN 14688 - CL00 | CA-LR-DA |
| SH03 | SHARP | Lavabo app. 42 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH04 | SHARP | Lavabo app. 60 | EN 14688 - CL00 | CA-LR-DA |
| SH05 | SHARP | Lavabo app. 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH06 | SHARP | Lavabo app. 42 | EN 14688 - CL00 | CA-LR-DA |
| SH07 | SHARP | Lavabo app. 42 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH08 | SHARP | Lavabo app. 60 | EN 14688 - CL00 | CA-LR-DA |
| SH09 | SHARP | Lavabo app. 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH10 | SHARP | Lavabo app. 42 H44 | EN 14688 - CL00 | CA-LR-DA |
| S15 | ART. SPECIALI | Lavamani sospeso 40 | EN 14688 - CL10 | CA-LR-DA-OF |
| S40 | ART. SPECIALI | Lavamani sospeso 41 | EN 14688 - CL10 | CA-LR-DA-OF |
| S76 | ART. SPECIALI | Lavello appoggio 90 | EN 14688 - CL00 | CA-LR-DA |
| S77 | ART. SPECIALI | Lavello appoggio 120 | EN 14688 - CL00 | CA-LR-DA |
| EA400 | ART. SPECIALI | Lavabo appoggio 58 | EN 14688 - CL10 | CA-LR-DA-OF |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Firmato a nome e per conto di **SIMAS S.p.A.**

Civita Castellana 01/03/2019
(luogo e data del rilascio)

Marco Giuliani - Amministratore Delegato

(firma)



DECLARATION OF PERFORMANCE No DOP 14688

1. Unique identification code of the product-type:

FOR THE PRODUCT NUMBER PLEASE SEE ATTACHED LIST

2. Product-type, batch or serial number or any other element allowing identification of the construction product as required under article 11(4):

WASHBASINS

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

PERSONAL HYGIENE (PH)

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under article 11(5):

SIMAS S.p.A. - VIA FALERINA KM.3 - 01033 - Civita Castellana (VT) - Italy

Tel. +39.0761.518161 - Fax +39.0761.517897 - www.simas.it - simas@simas.it

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in article 12(2):

NOT APPLICABLE

6. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Regulation (EU) No. 305/2011 (CPR), Annex V:

SYSTEM 4

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

Determination of product type and factory production control by the manufacturer

8. NOT APPLICABLE

9. Declared performance

| ESSENTIAL CHARACTERISTICS | PERFORMANCE | HARMONISED TECHNICAL SPECIFICATION |
|---------------------------|-------------|------------------------------------|
| Cleanability (CA) | PASS | EN 14688 |
| Load resistance (LR) | PASS | |
| Durability (DA) | PASS | |
| Overflow capacity (OF) | PASS | |

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9 This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by **SIMAS S.p.A.**

Civita Castellana 01/03/2019
(Place and date of issue)

Marco Giuliani - CEO

(Signature)



DECLARATION OF PERFORMANCE No DOP 14688

ALLEGATO


| CODICE | MODELLO | PRODOTTO | CODICE DESIGNAZIONE | CARATTERISTICHE |
|---------------|-------------|-------------------------------------|---------------------|-----------------|
| AG40 | AGILE | Wall hung wash-hand basin 40 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG50 | AGILE | Wall hung wash-hand basin 50 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG60 | AGILE | Counter top washbasin 60 | EN 14688 - CL00 | CA-LR-DA |
| AG80 | AGILE | Counter top washbasin 80 | EN 14688 - CL00 | CA-LR-DA |
| AG61 | AGILE | Wall hung/Counter top washbasin 61 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG81 | AGILE | Wall hung/Counter top washbasin 81 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG91 | AGILE | Wall hung/Counter top washbasin 91 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG101 | AGILE | Wall hung/Counter top washbasin 101 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG121 | AGILE | Wall hung/Counter top washbasin 121 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG121D | AGILE | Wall hung/Counter top washbasin 121 | EN 14688 - CL20 | CA-LR-DA-OF |
| AG141D | AGILE | Wall hung/Counter top washbasin 141 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR035 | ARCADE | Wall hung wash-hand basin 37 | EN 14688 - CL10 | CA-LR-DA-OF |
| AR036 | ARCADE | Wall hung wash-hand basin 34 | EN 14688 - CL10 | CA-LR-DA-OF |
| AR884 | ARCADE | Wall hung washbasin 57 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR864 | ARCADE | Wall hung washbasin 90 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR874 | ARCADE | Wall hung washbasin 105 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR814 | ARCADE | Wall hung washbasin 59 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR824 | ARCADE | Wall hung washbasin with upstand 68 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR844 | ARCADE | Wall hung washbasin 68 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR834 | ARCADE | Wall hung washbasin with upstand 73 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR854 | ARCADE | Wall hung washbasin 73 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR835 | ARCADE | Semi inset washbasin 67 | EN 14688 - CL20 | CA-LR-DA-OF |
| AR859 | ARCADE | Fully inset washbasin 61 | EN 14688 - CL20 | CA-LR-DA-OF |
| BB10 | BADEN BADEN | Wall hung washbasin 60 | EN 14688 - CL20 | CA-LR-DA-OF |
| BB11 | BADEN BADEN | Wall hung washbasin 60 | EN 14688 - CL00 | CA-LR-DA |
| BB12 | BADEN BADEN | Wall hung washbasin 80 | EN 14688 - CL10 | CA-LR-DA-OF |
| BB13 | BADEN BADEN | Wall hung washbasin 40 H55 | EN 14688 - CL10 | CA-LR-DA-OF |
| BO12 | BOHÉMIEN | Counter top washbasin 76 | EN 14688 - CL10 | CA-LR-DA |
| BR10 | BORMIO | Wall hung/Counter top washbasin 65 | EN 14688 - CL20 | CA-LR-DA-OF |
| BT104 | BETA | Wall hung washbasin 51 | EN 14688 - CL10 | CA-LR-DA-OF |
| BT114 | BETA | Wall hung washbasin 59 | EN 14688 - CL20 | CA-LR-DA-OF |
| BT124 | BETA | Wall hung washbasin 67 | EN 14688 - CL20 | CA-LR-DA-OF |
| DE10 | DEGRADÈ | Counter top washbasin 57 | EN 14688 - CL00 | CA-LR-DA |
| DE13 | DEGRADÈ | Wall hung washbasin 60 | EN 14688 - CL20 | CA-LR-DA-OF |
| DE14 | DEGRADÈ | Wall hung washbasin 58 | EN 14688 - CL20 | CA-LR-DA-OF |
| EL05 | E-LINE | Wall hung washbasin basic 65 | EN 14688 - CL20 | CA-LR-DA-OF |
| EL10 | E-LINE | Wall hung washbasin 65 | EN 14688 - CL20 | CA-LR-DA-OF |
| EL11 | E-LINE | Wall hung washbasin 90 | EN 14688 - CL20 | CA-LR-DA-OF |
| EVO10 | EVOLUTION | Counter top washbasin 58 | EN 14688 - CL00 | CA-LR-DA |
| EVO11 | EVOLUTION | Wall hung washbasin 70 | EN 14688 - CL20 | CA-LR-DA-OF |
| EVO12 | EVOLUTION | Wall hung washbasin 90 | EN 14688 - CL20 | CA-LR-DA-OF |
| EVO13 | EVOLUTION | Wall hung wash-hand basin 31 | EN 14688 - CL10 | CA-LR-DA-OF |
| EVO14 | EVOLUTION | Wall hung wash-hand basin 34 | EN 14688 - CL10 | CA-LR-DA-OF |

Signed for and on behalf of the manufacturer by **SIMAS S.p.A.**

Civita Castellana 01/03/2019
(Place and date of issue)

Marco Giuliani - CEO

(Signature)



DECLARATION OF PERFORMANCE No DOP 14688

ANNEX

| CODICE | MODELLO | PRODOTTO | CODICE DESIGNAZIONE | CARATTERISTICHE |
|--------------|---------------|------------------------------|---------------------|-----------------|
| EVO15 | EVOLUTION | Wall hung washbasin 53 | EN 14688 - CL20 | CA-LR-DA-OF |
| FL01 | FLOW | Wall hung washbasin 69 | EN 14688 - CL00 | CA-LR-DA |
| FL02 | FLOW | Wall hung washbasin 88 | EN 14688 - CL00 | CA-LR-DA |
| FL03 | FLOW | Wall hung washbasin 115 | EN 14688 - CL00 | CA-LR-DA |
| FL04 | FLOW | Wall hung washbasin 63 | EN 14688 - CL00 | CA-LR-DA |
| FL05 | FLOW | Wall hung washbasin 87 | EN 14688 - CL00 | CA-LR-DA |
| FL10 | FLOW | Counter top washbasin 40 | EN 14688 - CL00 | CA-LR-DA |
| FL11 | FLOW | Counter top washbasin 39 | EN 14688 - CL00 | CA-LR-DA |
| FL12 | FLOW | Counter top washbasin 50 | EN 14688 - CL00 | CA-LR-DA |
| FL13 | FLOW | Counter top washbasin 51 | EN 14688 - CL00 | CA-LR-DA |
| FL14 | FLOW | Wall hung washbasin 40 | EN 14688 - CL00 | CA-LR-DA |
| FL15 | FLOW | Wall hung washbasin 39 | EN 14688 - CL00 | CA-LR-DA |
| FL16 | FLOW | Wall hung washbasin 49 | EN 14688 - CL00 | CA-LR-DA |
| FL17 | FLOW | Wall hung washbasin 52 | EN 14688 - CL00 | CA-LR-DA |
| FL20 | FLOW | Wall hung washbasin 82 | EN 14688 - CL00 | CA-LR-DA |
| FL21 | FLOW | Wall hung washbasin 57 | EN 14688 - CL00 | CA-LR-DA |
| FL22 | FLOW | Wall hung washbasin 113 | EN 14688 - CL00 | CA-LR-DA |
| FL23 | FLOW | Wall hung washbasin 88 | EN 14688 - CL00 | CA-LR-DA |
| FL24 | FLOW | Wall hung washbasin 49 | EN 14688 - CL00 | CA-LR-DA |
| FZ10 | FROZEN | Wall hung washbasin 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| FZ11 | FROZEN | Wall hung washbasin 90 | EN 14688 - CL00 | CA-LR-DA |
| FZ12 | FROZEN | Wall hung washbasin 100 | EN 14688 - CL00 | CA-LR-DA |
| FZ13 | FROZEN | Wall hung washbasin 50 | EN 14688 - CL10 | CA-LR-DA-OF |
| FZ14 | FROZEN | Wall hung wash-hand basin 43 | EN 14688 - CL10 | CA-LR-DA-OF |
| FZ15 | FROZEN | Semi inset washbasin 70 | EN 14688 - CL10 | CA-LR-DA-OF |
| U60 | FROZEN | Counter top washbasin 60 | EN 14688 - CL00 | CA-LR-DA |
| U90 | FROZEN | Counter top washbasin 90 | EN 14688 - CL00 | CA-LR-DA |
| U120 | FROZEN | Counter top washbasin 120 | EN 14688 - CL00 | CA-LR-DA |
| LA10 | LANTE | Wall hung washbasin 70 | EN 14688 - CL10 | CA-LR-DA-OF |
| LA11 | LANTE | Wall hung washbasin 90 | EN 14688 - CL10 | CA-LR-DA-OF |
| LA12 | LANTE | Wall hung washbasin 120 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT05 | LFT SPAZIO | Wall hung washbasin 65 | EN 14688 - CL10 | CA-LR-DA |
| LFT24 | LFT SPAZIO | Wall hung washbasin 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT34 | LFT SPAZIO | Wall hung washbasin 73 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT44 | LFT SPAZIO | Wall hung washbasin 80 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT54 | LFT SPAZIO | Wall hung washbasin 61 | EN 14688 - CL10 | CA-LR-DA-OF |
| LFT64 | LFT SPAZIO | Counter top washbasin 63 | EN 14688 - CL00 | CA-LR-DA |
| LFT74 | LFT SPAZIO | Under-counter washbasin 66 | EN 14688 - CL10 | CA-LR-DA |
| LO914 | LONDRA | Wall hung washbasin 58 | EN 14688 - CL20 | CA-LR-DA-OF |
| LO924 | LONDRA | Wall hung washbasin 68 | EN 14688 - CL20 | CA-LR-DA-OF |
| LO934 | LONDRA | Wall hung washbasin 105 | EN 14688 - CL20 | CA-LR-DA-OF |
| LO944 | LONDRA | Wall hung wash-hand basin 38 | EN 14688 - CL10 | CA-LR-DA-OF |
| OH10 | TOP LAV. ARR. | Wall hung washbasin 60 | EN 14688 - CL00 | CA-LR-DA |

Signed for and on behalf of the manufacturer by **SIMAS S.p.A.**

Civita Castellana 01/03/2019
(Place and date of issue)

Marco Giuliani - CEO

(Signature)



DECLARATION OF PERFORMANCE No DOP 14688

ANNEX

| CODICE | MODELLO | PRODOTTO | CODICE DESIGNAZIONE | CARATTERISTICHE |
|--------------|---------------|------------------------------|---------------------|-----------------|
| OH12 | TOP LAV. ARR. | Wall hung washbasin 90 | EN 14688 - CL00 | CA-LR-DA |
| QU60D | TOP LAV. ARR. | Wall hung washbasin 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU60S | TOP LAV. ARR. | Wall hung washbasin 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU65D | TOP LAV. ARR. | Wall hung washbasin 65 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU65S | TOP LAV. ARR. | Wall hung washbasin 65 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU75D | TOP LAV. ARR. | Wall hung washbasin 75 | EN 14688 - CL10 | CA-LR-DA-OF |
| QU75S | TOP LAV. ARR. | Wall hung washbasin 75 | EN 14688 - CL10 | CA-LR-DA-OF |
| S50P | TOP LAV. ARR. | Fully inset washbasin 54 | EN 14688 - CL20 | CA-LR-DA-OF |
| S51 | TOP LAV. ARR. | Fully inset washbasin 63 | EN 14688 - CL20 | CA-LR-DA-OF |
| S52 | TOP LAV. ARR. | Fully inset washbasin 53 | EN 14688 - CL20 | CA-LR-DA-OF |
| S53 | TOP LAV. ARR. | Under-counter washbasin 58 | EN 14688 - CL20 | CA-LR-DA-OF |
| S54 | TOP LAV. ARR. | Under-counter washbasin 42 | EN 14688 - CL20 | CA-LR-DA-OF |
| S57 | TOP LAV. ARR. | Semi inset washbasin 67 | EN 14688 - CL20 | CA-LR-DA-OF |
| S58 | TOP LAV. ARR. | Semi inset washbasin 56 | EN 14688 - CL10 | CA-LR-DA-OF |
| S59 | TOP LAV. ARR. | Under-counter washbasin 48 | EN 14688 - CL10 | CA-LR-DA-OF |
| S60 | TOP LAV. ARR. | Under-counter washbasin 55 | EN 14688 - CL10 | CA-LR-DA-OF |
| TOP60 | TOP LAV. ARR. | Wall hung washbasin 105 | EN 14688 - CL20 | CA-LR-DA-OF |
| TOP62 | TOP LAV. ARR. | Wall hung washbasin 90 | EN 14688 - CL20 | CA-LR-DA-OF |
| TOP63 | TOP LAV. ARR. | Wall hung washbasin 78 | EN 14688 - CL20 | CA-LR-DA-OF |
| GTE | TOP LAV. ARR. | Free-standing washbasin 46 | EN 14688 - CL10 | CA-LR-DA-OF |
| Q500 | TOP LAV. ARR. | Counter kitchen 75 | EN 14688 - CL00 | CA-LR-DA |
| VI10 | VIGNONI | Wall hung washbasin 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| VI11 | VIGNONI | Wall hung washbasin 80 | EN 14688 - CL10 | CA-LR-DA-OF |
| VI12 | VIGNONI | Wall hung washbasin 100 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH01 | SHARP | Counter top washbasin 50 | EN 14688 - CL00 | CA-LR-DA |
| SH02 | SHARP | Counter top washbasin 42 | EN 14688 - CL00 | CA-LR-DA |
| SH03 | SHARP | Counter top washbasin 42 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH04 | SHARP | Counter top washbasin 60 | EN 14688 - CL00 | CA-LR-DA |
| SH05 | SHARP | Counter top washbasin 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH06 | SHARP | Counter top washbasin 42 | EN 14688 - CL00 | CA-LR-DA |
| SH07 | SHARP | Counter top washbasin 42 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH08 | SHARP | Counter top washbasin 60 | EN 14688 - CL00 | CA-LR-DA |
| SH09 | SHARP | Counter top washbasin 60 | EN 14688 - CL10 | CA-LR-DA-OF |
| SH10 | SHARP | Counter top washbasin 42 H44 | EN 14688 - CL00 | CA-LR-DA |
| S15 | ART. SPECIALI | Wall hung wash-hand basin 40 | EN 14688 - CL10 | CA-LR-DA-OF |
| S40 | ART. SPECIALI | Wall hung wash-hand basin 41 | EN 14688 - CL10 | CA-LR-DA-OF |
| S76 | ART. SPECIALI | Counter kitchen 90 | EN 14688 - CL00 | CA-LR-DA |
| S77 | ART. SPECIALI | Counter kitchen 120 | EN 14688 - CL00 | CA-LR-DA |
| EA400 | ART. SPECIALI | Ergonomic washbasin 66 | EN 14688 - CL10 | CA-LR-DA-OF |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Signed for and on behalf of the manufacturer by **SIMAS S.p.A.**

Civita Castellana 01/03/2019
(Place and date of issue)

Marco Giuliani - CEO

(Signature)

